

| L Number | Hits | Search Text | DB | Time stamp |
|----------|------|--|---|------------------|
| 27 | 8 | ((identif\$7 or group\$3 or select\$3 or choos\$3 or designat\$3) with ("printer candidates" or "print candidate(s)" or "print candidates" or "printer candidate(s)" or "print choices" or "printer choice(s)" or "print group" or "printer group")) and ((calculat\$3 or estimat\$3 or display\$3) adj3 cost) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/25 15:00 |
| 28 | 156 | ((network near2 printer) adj2 (selector or chooser)) or (printer near3 (management or selection or server or array)) and cost and ((computer adj1 program) or (software adj1 (code or means))) and ((calculat\$3 or estimat\$3 or display\$3) adj3 cost) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/25 15:00 |
| 29 | 9 | ((identif\$7 or group\$3 or select\$3 or choos\$3 or designat\$3) with ("printer candidates" or "print candidate(s)" or "print candidates" or "printer candidate(s)" or "print choices" or "printer choice(s)" or "print group" or "printer group")) and ((calculat\$3 or estimat\$3 or display\$3) near4 cost) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/25 15:00 |
| 30 | 13 | ((identif\$7 or group\$3 or select\$3 or choos\$3 or designat\$3) with ("printer candidates" or "print candidate(s)" or "print candidates" or "printer candidate(s)" or "print choices" or "printer choice(s)" or "print group" or "printer group")) and ((calculat\$3 or estimat\$3 or display\$3) with cost) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/25 15:01 |
| 31 | 4 | ((identif\$7 or group\$3 or select\$3 or choos\$3 or designat\$3) with ("printer candidates" or "print candidate(s)" or "print candidates" or "printer candidate(s)" or "print choices" or "printer choice(s)" or "print group" or "printer group")) and ((calculat\$3 or estimat\$3 or display\$3) with cost) not (((identif\$7 or group\$3 or select\$3 or choos\$3 or designat\$3) with ("printer candidates" or "print candidate(s)" or "print candidates" or "printer candidate(s)" or "print choices" or "printer choice(s)" or "print group" or "printer group")) and ((calculat\$3 or estimat\$3 or display\$3) near4 cost)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/25 15:01 |
| - | 555 | (select or choose) with printer with network | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/25 11:34 |
| - | 148 | (select or choose) with printer with network and cost | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/13 12:41 |
| - | 831 | ((network near2 printer) adj2 (selector or chooser)) or (printer near3 (management or selection or server or array)) and cost and ((computer adj1 program) or (software adj1 (code or means))) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/25 14:59 |
| - | 58 | (network near3 printer) and (select or selection or selecting or choose or choosing) same (printer with (pool or candidate or zone)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/17 11:11 |

| | | | | |
|---|-----|--|---|------------------|
| - | 12 | ((network or print\$2) near3 server) and (select or selection or selecting or choose or choosing or determin\$5) with (best or preferred or optimal or optimum or desired or desireable) with (print or printer or peripheral) and cost and ((computer adj1 program) or (software)) and (user adj2 (parameter or setting or criteria)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/16 13:09 |
| - | 14 | (spooler or ((network or print\$2) near3 server)) and (select or selection or selecting or choose or choosing or determin\$5) with (best or preferred or optimal or optimum or desired or desireable) with (print or printer or peripheral) and cost and ((computer adj1 program) or (software)) and (user adj2 (parameter or setting or criteria)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/16 13:13 |
| - | 2 | ((spooler or ((network or print\$2) near3 server)) and (select or selection or selecting or choose or choosing or determin\$5) with (best or preferred or optimal or optimum or desired or desireable) with (print or printer or peripheral) and cost and ((computer adj1 program) or (software)) and (user adj2 (parameter or setting or criteria))) not (((network or print\$2) near3 server) and (select or selection or selecting or choose or choosing or determin\$5) with (best or preferred or optimal or optimum or desired or desireable) with (print or printer or peripheral) and cost and ((computer adj1 program) or (software)) and (user adj2 (parameter or setting or criteria))) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/16 13:10 |
| - | 72 | (spooler or ((network or print\$2) near3 server)) and (select or selection or selecting or choose or choosing or determin\$5) with (best or preferred or optimal or optimum or desired or desireable) with (print or printer or peripheral) and cost and ((computer adj1 program) or (software)) and (user near5 (parameter or setting or criteria or select\$3 or profile)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/16 13:23 |
| - | 20 | (internet adj2 printing) and ((select or selection or selecting or choose or choosing or chosen) with (best or preferred or optimal or optimum or desired or desireable) with (print or printer or peripheral) and (cost or time or availab\$5 or unavailab\$5 or needs or parameter or setting or criteria)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/18 10:51 |
| - | 462 | (internet near3 printing) not (internet adj2 printing) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/18 11:10 |
| - | 7 | ((internet near3 printing) not (internet adj2 printing)) and (select or selection or selecting or choose or choosing or chosen) with (best or preferred or optimal or optimum or desired or desireable) with (print or printer or peripheral) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/18 11:10 |
| - | 27 | (internet near3 printing) and (select or selection or selecting or choose or choosing or chosen) with (best or preferred or optimal or optimum or desired or desireable) with (print or printer or peripheral) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/18 11:18 |
| - | 114 | ((internet or web) with print\$3) and (select or selection or selecting or choose or choosing or chosen) with (best or preferred or optimal or optimum or desired or desireable) with (print or printer or peripheral) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/18 11:19 |

| | | | | |
|---|-----|--|---|------------------|
| - | 10 | (select or selection or selector or selector or selecting or choose or choosing or chosen) with (best or preferred or optimal or optimum or desired or desireable) with (print or printer or peripheral) same (local\$4 and network) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/23 11:03 |
| - | 11 | (determin\$5 or pick\$3 or designat\$3 or select or selection or selector or selector or selecting or choose or choosing or chosen) with (best or preferred or optimal or optimum or desired or desireable) with (print or printer or peripheral) same (local\$4 and network) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/23 11:02 |
| - | 7 | ((select or selection or selector or selector or selecting or choose or choosing or chosen) with (best or preferred or optimal or optimum or desired or desireable) with (print or printer or peripheral or "printer(s)") with local\$4) and network | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/23 11:04 |
| - | 11 | ((select or selection or selector or selector or selecting or choose or choosing or chosen or choice) with (best or preferred or optimal or optimum or desired or desireable or preferable or most or candidate) with (print or printer or peripheral or "printer(s)") with local\$4) and network | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/23 11:07 |
| - | 12 | ((select or selection or selector or selector or selecting or choose or choosing or chosen or choice) with (best or preferred or optimal or optimum or desired or desireable or preferable or most or candidate) with (print or printing or printer or peripheral or "printer(s)") with local\$4) and (server or network or spool\$3) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/23 11:10 |
| - | 43 | ((select or selection or selector or selector or selecting or choose or choosing or chosen) with (local\$4 or nearby or nearest) with ((image adj1 forming) or (document adj1 forming) or print or printer or peripheral or "printer(s)")) same network same (program or application) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/24 13:51 |
| - | 4 | ((select or selection or selector or selector or selecting or choose or choosing or chosen) with ((image adj1 forming) or (document adj1 forming) or print or printer or peripheral or "printer(s)")) same (print\$3 adj1 network) same (program or application) not (((select or selection or selector or selector or selecting or choose or choosing or chosen) with (print or printer or peripheral or "printer(s)")) same (print\$3 adj1 network) same (program or application) not (((select or selection or selector or selector or selecting or choose or choosing or chosen) with (local\$4 or nearby or nearest) with ((image adj1 forming) or (document adj1 forming) or print or printer or peripheral or "printer(s)")) same network same (program or application))) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/24 12:09 |
| - | 125 | ((select or selection or selector or selector or selecting or choose or choosing or chosen) with ((image adj1 forming) or (document adj1 forming) or print or printer or terminal or peripheral or "printer(s)")) same ((print\$3 adj1 network) or (print\$3 adj1 server)) same (program or application) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/24 13:42 |
| - | 1 | 6621589.pn. and ((stor\$3 or memory) with (attribute or info\$7)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/24 13:43 |

| | | | | |
|---|-----|--|---|------------------|
| - | 8 | (best or appropriate or optimal or optimum) adj1 (print or printer or peripheral or "printer(s)") with candidate | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/24 14:27 |
| - | 492 | (select or selection or selector or selector or selecting or choose or choosing or chosen) adj3 (several or multiple or set) adj4 (print or printer or peripheral or "printer(s)") | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/24 14:29 |
| - | 30 | ((select or selection or selector or selector or selecting or choose or choosing or chosen) adj3 (several or multiple or set) adj4 (print or printer or peripheral or "printer(s)") same (best or appropriate or optimal or optimum)) and network | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/24 14:43 |
| - | 30 | ((select or selection or selector or selector or selecting or choose or choosing or chosen) adj3 (several or multiple or set) adj4 (print or printer or peripheral or "printer(s)") same (best or appropriate or best or preferred or optimal or optimum or desired or desireable)) and network | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/24 14:44 |
| - | 39 | ((select or selection or selector or selector or selecting or choose or choosing or chosen) with (several or multiple or set) with (print or printer or peripheral or "printer(s)") same (best or appropriate or best or preferred or optimal or optimum or desired or desireable)) same network | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/24 14:51 |
| - | 172 | ((select or selection or selector or selector or selecting or choose or choosing or chosen) with (several or multiple or set) with (print or printer or peripheral or "printer(s)") same (best or appropriate or best or preferred or optimal or optimum or desired or desireable)) and network) not (((select or selection or selector or selector or selecting or choose or choosing or chosen) with (several or multiple or set) with (print or printer or peripheral or "printer(s)") same (best or appropriate or best or preferred or optimal or optimum or desired or desireable)) same network) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/24 14:54 |
| - | 36 | ("printer candidates" or "print candidate(s)" or "print candidates" or "printer candidate(s)") and network | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/25 00:00 |
| - | 12 | ((select\$3 or choos\$3 or designat\$3) with ("printer candidates" or "print candidate(s)" or "print candidates" or "printer candidate(s)")) and network | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/25 00:02 |
| - | 25 | ((select\$3 or choos\$3 or designat\$3) with ("printer candidates" or "print candidate(s)" or "print candidates" or "printer candidate(s)")) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/25 00:05 |
| - | 30 | ((identif\$7 or group\$3 or select\$3 or choos\$3 or designat\$3) with ("printer candidates" or "print candidate(s)" or "print candidates" or "printer candidate(s)")) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/25 00:19 |
| - | 5 | ((identif\$7 or group\$3 or select\$3 or choos\$3 or designat\$3) with ("printer candidates" or "print candidate(s)" or "print candidates" or "printer candidate(s)")) not (((select\$3 or choos\$3 or designat\$3) with ("printer candidates" or "print candidate(s)" or "print candidates" or "printer candidate(s)"))) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/25 00:06 |

| | | | | |
|---|-----|--|---|------------------|
| - | 36 | ((identif\$7 or group\$3 or select\$3 or choos\$3 or designat\$3) with ("printer candidates" or "print candidate(s)" or "print candidates" or "printer candidate(s)" or "print choices" or "printer choice(s)")) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/25 00:23 |
| - | 6 | ((((identif\$7 or group\$3 or select\$3 or choos\$3 or designat\$3) with ("printer candidates" or "print candidate(s)" or "print candidates" or "printer candidate(s)" or "print choices" or "printer choice(s)")) not (((identif\$7 or group\$3 or select\$3 or choos\$3 or designat\$3) with ("printer candidates" or "print candidate(s)" or "print candidates" or "printer candidate(s)")))) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/25 00:20 |
| - | 222 | ((identif\$7 or group\$3 or select\$3 or choos\$3 or designat\$3) with ("printer candidates" or "print candidate(s)" or "print candidates" or "printer candidate(s)" or "print choices" or "printer choice(s)" or "print group" or "printer group")) and network | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/25 14:56 |
| - | 21 | ((((identif\$7 or group\$3 or select\$3 or choos\$3 or designat\$3) with ("printer candidates" or "print candidate(s)" or "print candidates" or "printer candidate(s)" or "print choices" or "printer choice(s)" or "print group" or "printer group")) same local\$4) and network | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/25 00:35 |
| - | 3 | list\$3 adj3 (nearest or closest) adj2 "printers" | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/25 11:19 |
| - | 13 | (select\$3 or group\$3 or list\$3) adj3 (nearest or closest or local) adj2 "printers" | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/25 11:20 |
| - | 5 | ((network near2 printer) adj2 (selector or chooser)) or (printer near3 (management or selection or server or array)) and cost | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/25 11:34 |